ELSEVIER

Hearing Research 128 (1999) 199–200

HEARING RESEARCH

Author Index Volume 128

Aran, J.-M., see Conlon, B.J. (128) 40
Azeredo, W.J., see Scates, K.W. (128) 51

Bagger-Sjöbäck, D., see von Unge, M. (128) 1
Bo, X., see Xiang, Z. (128) 190
Burnstock, G., see Xiang, Z. (128) 190

Carlile, S., Delaney, S. and Corderoy, A.
The localisation of spectrally restricted sounds by human listeners (128) 175
Chan, E., and Ulfendahl, M.
Mechanically evoked shortening of outer hair cells isolated from the guinea pig organ of Corti (128) 166
Conlon, B.J., Aran, J.-M., Erre, J.-P. and Smith, D.W.
Attenuation of aminoglycoside-induced cochlear damage with the metabolic antioxidant α-lipoic acid (128) 40
Corderoy, A., see Carlile, S. (128) 175
Couloigner, V., see Teixeira, M. (128) 45

De Groot, J.C.M.J., see Heijmen, P.S. (128) 27
Decraemer, W.F., see von Unge, M. (128) 1
Delaney, S., see Carlile, S. (128) 175
Dirckx, J.J., see von Unge, M. (128) 1
Doi, Y., see Fujimura, T. (128) 135

Erre, J.-P., see Conlon, B.J. (128) 40

Ferrary, E., see Teixeira, M. (128) 45
Fujimoto, S., see Fujimura, T. (128) 135
Fujimura, T., Furukawa, H., Doi, Y., Makishima, K. and Fujimoto, S.
Immunoreactivity of endothelins and endothelin receptor in the stria vascularis of the mouse cochlea (128) 135
Furukawa, H., see Fujimura, T. (128) 135

Godfrey, D.A., see Yao, W. (128) 97
Goto, S., Oshima, T., Ikeda, K. and Takasaka, T.
Expression and localization of the Na^+-H^+ exchanger in the guinea pig cochlea (128) 89
Gültig, K., see Löwenheim, H. (128) 16

Han, J.J., see Wareing, M. (128) 61
Harada, T., Tokuriki, M. and Tanioka, Y.
Age-related changes in the brainstem auditory evoked potentials of the marmoset (128) 119
Hardie, N.A., and Shepherd, R.K.
Sensorineural hearing loss during development: morphological and physiological response of the cochlea and auditory brainstem (128) 147
Haut, T., see Wareing, M. (128) 61
Heijmen, P.S., Klis, S.F.L., De Groot, J.C.M.J. and Smoorenburg, G.F.
Cisplatin ototoxicity and the possibly protective effect of α-melanocyte stimulating hormone (128) 27
Henderson, D., see Hu, B.H. (128) 125
Henley, C.M., see Mills, C.D. (128) 75
Hong, K., see Wareing, M. (128) 61
Hoshino, T., see Wu, R. (128) 103
Hu, B.H., McFadden, S.L., Salvi, R.J. and Henderson, D.
Intracochlear infusion of buthionine sulfoximine potentiates carboplatin ototoxicity in the chinchilla (128) 125
Hulin, P., see Teixeira, M. (128) 45

Ikeda, K., see Goto, S. (128) 89

Kil, J., see Löwenheim, H. (128) 16
Klis, S.F.L., see Heijmen, P.S. (128) 27
Kuijpers, W., Peters, T.A. and Tonnaer, E.L.G.M.
Nature of the tympanic membrane insertion into the tympanic bone of the rat (128) 80

Lalwani, A.K., see Wareing, M. (128) 61
Löwenheim, H., Kil, J., Gültig, K. and Zenner, H.P.
Determination of hair cell degeneration and hair cell death in neomycin treated cultures of the neonatal rat cochlea (128) 16
Loiseau, A., see Teixeira, M. (128) 45
Loos, B.M., see Mills, C.D. (128) 75
Luo, L., see Saint Marie, R.L. (128) 70

Makishima, K., see Fujimura, T. (128) 135
McFadden, S.L., see Hu, B.H. (128) 125
Mhatre, A.N., see Wareing, M. (128) 61
Mills, C.D., Loos, B.M. and Henley, C.M.
Increased susceptibility of male rats to kanamycin-induced cochleotoxicity (128) 75

Nagura, M., see Wu, R. (128) 103

Oshima, T., see Goto, S. (128) 89

Peters, T.A., see Kuijpers, W. (128) 80
Pettis, R., see Wareing, M. (128) 61
Pfister, M.H.F., see Wareing, M. (128) 61
Planelles, G., see Teixeira, M. (128) 45

Ryan, A.F., see Saint Marie, R.L. (128) 70

Saint Marie, R.L., Luo, L. and Ryan, A.F.
Spatial representation of frequency in the rat dorsal nucleus of the lateral lemniscus as revealed by acoustically induced c-*fos* mRNA expression (128) 70
Salvi, R.J., see Hu, B.H. (128) 125
Scates, K.W., Woods, C.I. and Azeredo, W.J.
Inferior colliculus stimulation and changes in $2f_1-f_2$ distortion product otoacoustic emissions in the rat (128) 51
Schacht, J., see Sha, S.-H. (128) 112
Sha, S.-H., and Schacht, J.

Stimulation of free radical formation by aminoglycoside antibiotics (128) 112
Shepherd, R.K., see Hardie, N.A. (128) 147
Smith, D.W., see Conlon, B.J. (128) 40
Smoorenburg, G.F., see Heijmen, P.S. (128) 27
Sterkers, O., see Teixeira, M. (128) 45

Takasaka, T., see Goto, S. (128) 89
Tanioka, Y., see Harada, T. (128) 119
Teixeira, M., Couloigner, V., Loiseau, A., Hulin, P., Sterkers, O., Planelles, G. and Ferrary, E.
Evidence for apical K conductance and Na-K-2Cl cotransport in the endolymphatic sac of guinea pig (128) 45
Tokuriki, M., see Harada, T. (128) 119
Tonnaer, E.L.G.M., see Kuijpers, W. (128) 80

Ulfendahl, M., see Chan, E. (128) 166

von Unge, M., Decraemer, W.F., Dirckx, J.J. and Bagger-Sjöbäck, D.
Tympanic membrane displacement patterns in experimental cholesteatoma (128) 1

Wareing, M., Mhatre, A.N., Pettis, R., Han, J.J., Haut, T., Pfister, M.H.F., Hong, K., Zheng, W.W. and Lalwani, A.K.
Cationic liposome mediated transgene expression in the guinea pig cochlea (128) 61
Woods, C.I., see Scates, K.W. (128) 51
Wu, R., Hoshino, T. and Nagura, M.
Endocochlear potential in focal lesions of the guinea pig cochlea (128) 103

Xiang, Z., Bo, X. and Burnstock, G.
P2X receptor immunoreactivity in the rat cochlea, vestibular ganglion and cochlear nucleus (128) 190

Yao, W., and Godfrey, D.A.
Immunolocalization of α4 and α7 subunits of nicotinic receptor in rat cochlear nucleus (128) 97

Zenner, H.P., see Löwenheim, H. (128) 16
Zheng, W.W., see Wareing, M. (128) 61

ELSEVIER

Hearing Research 128 (1999) 201–204

HEARING RESEARCH

Subject Index Volume 128

Acetylcholine
Acetylcholinesterase; Auditory; Choline acetyltransferase; Cholinergic; Cholinoceptive (Yao, W. (128) 97)

Acetylcholine; Auditory; Choline acetyltransferase; Cholinergic; Cholinoceptive (Yao, W. (128) 97)

Activity marker
Tonotopic (Saint Marie, R.L. (128) 70)

Afferent deprivation
Aminoglycoside; Auditory system; Cochlear implant; Cochlear nucleus; Neonatal deafness (Hardie, N.A. (128) 147)

Aging
Brain-stem auditory evoked potential; Marmoset; Stimulus frequency; Tone burst stimulation (Harada, T. (128) 119)

Amikacin
Aminoglycoside antibiotic; α-Lipoic acid; Dihydrolipoic acid; Ototoxicity; Free radical; Reactive oxygen species; Free radical scavenger (Conlon, B.J. (128) 40)

Aminoglycoside
Gender; Sex; Ototoxicity; Distortion product otoacoustic emission (Mills, C.D. (128) 75)

Afferent deprivation; Auditory system; Cochlear implant; Cochlear nucleus; Neonatal deafness (Hardie, N.A. (128) 147)

Amikacin; α-Lipoic acid; Dihydrolipoic acid; Ototoxicity; Free radical; Reactive oxygen species; Free radical scavenger (Conlon, B.J. (128) 40)

Aminoglycoside ototoxicity
Organ of Corti; Hair cell; Cell death; Live/dead assay (Löwenheim, H. (128) 16)

Antioxidant
Chemotherapeutic drug; Cochlea; Hearing loss; Hair cell; Platinum (Hu, B.H. (128) 125)

ATP
P2X receptor; P2X purinoceptor; Spiral ganglion; Cochlea; Vestibular ganglion; Vestibulocochlear nerve (Xiang, Z. (128) 190)

Auditory
Acetylcholine; Acetylcholinesterase; Choline acetyltransferase; Cholinergic; Cholinoceptive (Yao, W. (128) 97)

Cochlea; Direct current; Inner ear; Low frequency; Mechanical; Modulation; Outer hair cell (Chan, E. (128) 166)

Human hearing; Broadband sound; Spectrally restricted sound (Carlile, S. (128) 175)

Auditory system
Afferent deprivation; Aminoglycoside; Cochlear implant; Cochlear nucleus; Neonatal deafness (Hardie, N.A. (128) 147)

Brain-stem auditory evoked potential
Marmoset; Aging; Stimulus frequency; Tone burst stimulation (Harada, T. (128) 119)

Broadband sound
Human hearing; Auditory localization; Spectrally restricted sound (Carlile, S. (128) 175)

Cationic liposome
Mammalian cochlea; Gene therapy; Transgene expression (Wareing, M. (128) 61)

Cell death
Organ of Corti; Aminoglycoside ototoxicity; Hair cell; Live/dead assay (Löwenheim, H. (128) 16)

Chemotherapeutic drug
Antioxidant; Cochlea; Hearing loss; Hair cell; Platinum (Hu, B.H. (128) 125)

Cholesteatoma
Retraction pocket; Gerbil animal model; Moiré interferometry; Tympanic membrane; Displacement (von Unge, M. (128) 1)

Choline acetyltransferase
Acetylcholine; Acetylcholinesterase; Auditory; Cholinergic; Cholinoceptive (Yao, W. (128) 97)

Cholinergic
Acetylcholine; Acetylcholinesterase; Auditory; Choline acetyltransferase; Cholinoceptive (Yao, W. (128) 97)

Cholinoceptive
Acetylcholine; Acetylcholinesterase; Auditory; Choline acetyltransferase; Cholinergic (Yao, W. (128) 97)

Cisplatin
Ototoxicity; Neuropeptide; α-Melanocyte stimulating hormone; ORG 2766 (Heijmen, P.S. (128) 27)

Cochlea
Na^+-H^+ exchanger; Reverse transcription-polymerase chain reaction; In situ hybridization; Digoxigenin; Guinea pig (Goto, S. (128) 89)

Focal lesion; Endocochlear potential; Photochemical reaction; Rose Bengal; Thrombus formation (Wu, R. (128) 103)

Auditory; Direct current; Inner ear; Low frequency; Mechanical; Modulation; Outer hair cell (Chan, E. (128) 166)

P2X receptor; P2X purinoceptor; ATP; Spiral ganglion; Vestibular ganglion; Vestibulocochlear nerve (Xiang, Z. (128) 190)

Antioxidant; Chemotherapeutic drug; Hearing loss; Hair cell; Platinum (Hu, B.H. (128) 125)

Afferent deprivation; Aminoglycoside; Auditory system; Cochlear nucleus; Neonatal deafness (Hardie, N.A. (128) 147)

Cochlear nucleus
Afferent deprivation; Aminoglycoside; Auditory system; Cochlear implant; Neonatal deafness (Hardie, N.A. (128) 147)

Digoxigenin
Na^+-H^+ exchanger; Cochlea; Reverse transcription-polymerase chain reaction; In situ hybridization; Guinea pig (Goto, S. (128) 89)

Dihydrolipoic acid
Amikacin; Aminoglycoside antibiotic; α-Lipoic acid; Ototoxicity; Free radical; Reactive oxygen species; Free radical scavenger (Conlon, B.J. (128) 40)

Direct current
Auditory; Cochlea; Inner ear; Low frequency; Mechanical; Modulation; Outer hair cell (Chan, E. (128) 166)

Displacement
Cholesteatoma; Retraction pocket; Gerbil animal model; Moiré interferometry; Tympanic membrane (von Unge, M. (128) 1)

Distortion product otoacoustic emission
Gender; Sex; Aminoglycoside; Ototoxicity (Mills, C.D. (128) 75)

Inferior colliculus; Olivocochlear efferent (Scates, K.W. (128) 51)

Endocochlear potential
Cochlea; Focal lesion; Photochemical reaction; Rose Bengal; Thrombus formation (Wu, R. (128) 103)

Endolymphatic sac
K conductance; Na-K-Cl cotransport (Teixeira, M. (128) 45)

Endothelin
Endothelin receptor type A; Na,K-ATPase; Intermediate cell; Lysosome; Stria vascularis (Fujimura, T. (128) 135)

Endothelin; Na,K-ATPase; Intermediate cell; Lysosome; Stria vascularis (Fujimura, T. (128) 135)

Epstein-Barr virus cell
Gentamicin; Kanamycin; Neomycin; Streptomycin; Reactive oxygen species; Neutrophil; Ototoxicity (Sha, S.-H. (128) 112)

Focal lesion
Cochlea; Endocochlear potential; Photochemical reaction; Rose Bengal; Thrombus formation (Wu, R. (128) 103)

Free radical
Amikacin; Aminoglycoside antibiotic; α-Lipoic acid; Dihydrolipoic acid; Ototoxicity; Reactive oxygen species; Free radical scavenger (Conlon, B.J. (128) 40)

Amikacin; Aminoglycoside antibiotic; α-Lipoic acid; Dihydrolipoic acid; Ototoxicity; Free radical; Reactive oxygen species (Conlon, B.J. (128) 40)

Gender
Sex; Aminoglycoside; Ototoxicity; Distortion product otoacoustic emission (Mills, C.D. (128) 75)

Gene therapy
Mammalian cochlea; Cationic liposome; Transgene expression (Wareing, M. (128) 61)

Gentamicin
Kanamycin; Neomycin; Streptomycin; Reactive oxygen species; Epstein-Barr virus cell; Neutrophil; Ototoxicity (Sha, S.-H. (128) 112)

Gerbil animal model
Cholesteatoma; Retraction pocket; Moiré interferometry; Tympanic membrane; Displacement (von Unge, M. (128) 1)

Guinea pig
Na^+-H^+ exchanger; Cochlea; Reverse transcription-polymerase chain reaction; In situ hybridization; Digoxigenin (Goto, S. (128) 89)

Hair cell
Organ of Corti; Aminoglycoside ototoxicity; Cell death; Live/dead assay (Löwenheim, H. (128) 16)

Antioxidant; Chemotherapeutic drug; Cochlea; Hearing loss; Platinum (Hu, B.H. (128) 125)

Hearing loss
Antioxidant; Chemotherapeutic drug; Cochlea; Hair cell; Platinum (Hu, B.H. (128) 125)

Human hearing
Auditory localization; Broadband sound; Spectrally restricted sound (Carlile, S. (128) 175)

In situ hybridization
Na^+-H^+ exchanger; Cochlea; Reverse transcription-polymerase chain reaction; Digoxigenin; Guinea pig (Goto, S. (128) 89)

Inferior colliculus
Distortion product otoacoustic emission; Olivocochlear efferent (Scates, K.W. (128) 51)

Inner ear
Auditory; Cochlea; Direct current; Low frequency; Mechanical; Modulation; Outer hair cell (Chan, E. (128) 166)

Insertion
Tympanic membrane; Tympanic bone; Myofibroblast; Rat (Kuijpers, W. (128) 80)

Intermediate cell
Endothelin; Endothelin receptor type A; Na,K-ATPase; Lysosome; Stria vascularis (Fujimura, T. (128) 135)

K conductance
Endolymphatic sac; Na-K-Cl cotransport (Teixeira, M. (128) 45)

Kanamycin
Gentamicin; Neomycin; Streptomycin; Reactive oxygen species; Epstein-Barr virus cell; Neutrophil; Ototoxicity (Sha, S.-H. (128) 112)

α-Lipoic acid
Amikacin; Aminoglycoside antibiotic; Dihydrolipoic acid; Ototoxicity; Free radical; Reactive oxygen species; Free radical scavenger (Conlon, B.J. (128) 40)

Live/dead assay
Organ of Corti; Aminoglycoside ototoxicity; Hair cell; Cell death (Löwenheim, H. (128) 16)

Low frequency
Auditory; Cochlea; Direct current; Inner ear; Mechanical; Modulation; Outer hair cell (Chan, E. (128) 166)

Lysosome
Endothelin; Endothelin receptor type A; Na,K-ATPase; Intermediate cell; Stria vascularis (Fujimura, T. (128) 135)

Mammalian cochlea
Cationic liposome; Gene therapy; Transgene expression (Wareing, M. (128) 61)

Marmoset
Brain-stem auditory evoked potential; Aging; Stimulus frequency; Tone burst stimulation (Harada, T. (128) 119)

Mechanical
Auditory; Cochlea; Direct current; Inner ear; Low frequency; Modulation; Outer hair cell (Chan, E. (128) 166)

α-Melanocyte stimulating hormone
Cisplatin; Ototoxicity; Neuropeptide; ORG 2766 (Heijmen, P.S. (128) 27)

Modulation
Auditory; Cochlea; Direct current; Inner ear; Low frequency; Mechanical; Outer hair cell (Chan, E. (128) 166)

Moiré interferometry
Cholesteatoma; Retraction pocket; Gerbil animal model; Tympanic membrane; Displacement (von Unge, M. (128) 1)

Myofibroblast
Tympanic membrane; Insertion; Tympanic bone; Rat (Kuijpers, W. (128) 80)

Na^+-H^+ exchanger
Cochlea; Reverse transcription-polymerase chain reaction; In situ hybridization; Digoxigenin; Guinea pig (Goto, S. (128) 89)

Na,K-ATPase
Endothelin; Endothelin receptor type A; Intermediate cell; Lysosome; Stria vascularis (Fujimura, T. (128) 135)

Na-K-Cl cotransport
Endolymphatic sac; K conductance (Teixeira, M. (128) 45)

Neomycin
Gentamicin; Kanamycin; Streptomycin; Reactive oxygen species; Epstein-Barr virus cell; Neutrophil; Ototoxicity (Sha, S.-H. (128) 112)

Neonatal deafness
Afferent deprivation; Aminoglycoside; Auditory system; Cochlear implant; Cochlear nucleus (Hardie, N.A. (128) 147)

Neuropeptide
Cisplatin; Ototoxicity; α-Melanocyte stimulating hormone; ORG 2766 (Heijmen, P.S. (128) 27)

Neutrophil
Gentamicin; Kanamycin; Neomycin; Streptomycin; Reactive oxygen species; Epstein-Barr virus cell; Ototoxicity (Sha, S.-H. (128) 112)

Olivocochlear efferent
Distortion product otoacoustic emission; Inferior colliculus (Scates, K.W. (128) 51)

ORG 2766
Cisplatin; Ototoxicity; Neuropeptide; α-Melanocyte stimulating hormone (Heijmen, P.S. (128) 27)

Organ of Corti
Aminoglycoside ototoxicity; Hair cell; Cell death; Live/dead assay (Löwenheim, H. (128) 16)

Ototoxicity
Gender; Sex; Aminoglycoside; Distortion product otoacoustic emission (Mills, C.D. (128) 75)

Cisplatin; Neuropeptide; α-Melanocyte stimulating hormone; ORG 2766 (Heijmen, P.S. (128) 27)

Amikacin; Aminoglycoside antibiotic; α-Lipoic acid; Dihydrolipoic acid; Free radical; Reactive oxygen species; Free radical scavenger (Conlon, B.J. (128) 40)

Gentamicin; Kanamycin; Neomycin; Streptomycin; Reactive oxygen species; Epstein-Barr virus cell; Neutrophil (Sha, S.-H. (128) 112)

Outer hair cell
Auditory; Cochlea; Direct current; Inner ear; Low frequency; Mechanical; Modulation (Chan, E. (128) 166)

P2X purinoceptor
P2X receptor; ATP; Spiral ganglion; Cochlea; Vestibular ganglion; Vestibulocochlear nerve (Xiang, Z. (128) 190)

P2X receptor
P2X purinoceptor; ATP; Spiral ganglion; Cochlea; Vestibular ganglion; Vestibulocochlear nerve (Xiang, Z. (128) 190)

Photochemical reaction
Cochlea; Focal lesion; Endocochlear potential; Rose Bengal; Thrombus formation (Wu, R. (128) 103)

Platinum
Antioxidant; Chemotherapeutic drug; Cochlea; Hearing loss; Hair cell (Hu, B.H. (128) 125)

Rat
Tympanic membrane; Insertion; Tympanic bone; Myofibroblast (Kuijpers, W. (128) 80)

Reactive oxygen species
Amikacin; Aminoglycoside antibiotic; α-Lipoic acid; Dihydrolipoic acid; Ototoxicity; Free radical; Free radical scavenger (Conlon, B.J. (128) 40)

Gentamicin; Kanamycin; Neomycin; Streptomycin; Epstein-Barr virus cell; Neutrophil; Ototoxicity (Sha, S.-H. (128) 112)

Retraction pocket
Cholesteatoma; Gerbil animal model; Moiré interferometry; Tympanic membrane; Displacement (von Unge, M. (128) 1)

Reverse transcription-polymerase chain reaction
Na^+-H^+ exchanger; Cochlea; In situ hybridization; Digoxigenin; Guinea pig (Goto, S. (128) 89)

Rose Bengal
Cochlea; Focal lesion; Endocochlear potential; Photochemical reaction; Thrombus formation (Wu, R. (128) 103)

Sex
Gender; Aminoglycoside; Ototoxicity; Distortion product otoacoustic emission (Mills, C.D. (128) 75)

Spectrally restricted sound
Human hearing; Auditory localization; Broadband sound (Carlile, S. (128) 175)

Spiral ganglion
P2X receptor; P2X purinoceptor; ATP; Cochlea; Vestibular ganglion; Vestibulocochlear nerve (Xiang, Z. (128) 190)

Stimulus frequency
Brain-stem auditory evoked potential; Marmoset; Aging; Tone burst stimulation (Harada, T. (128) 119)

Streptomycin
Gentamicin; Kanamycin; Neomycin; Reactive oxygen species; Epstein-Barr virus cell; Neutrophil; Ototoxicity (Sha, S.-H. (128) 112)

Stria vascularis
Endothelin; Endothelin receptor type A; Na,K-ATPase; Intermediate cell; Lysosome (Fujimura, T. (128) 135)

Thrombus formation
Cochlea; Focal lesion; Endocochlear potential; Photochemical reaction; Rose Bengal (Wu, R. (128) 103)

Tone burst stimulation
Brain-stem auditory evoked potential; Marmoset; Aging; Stimulus frequency (Harada, T. (128) 119)

Tonotopic
Activity marker (Saint Marie, R.L. (128) 70)

Transgene expression
Mammalian cochlea; Cationic liposome; Gene therapy (Wareing, M. (128) 61)

Tympanic bone
Tympanic membrane; Insertion; Myofibroblast; Rat (Kuijpers, W. (128) 80)

Tympanic membrane
Cholesteatoma; Retraction pocket; Gerbil animal model; Moiré interferometry; Displacement (von Unge, M. (128) 1)

Insertion; Tympanic bone; Myofibroblast; Rat (Kuijpers, W. (128) 80)

Vestibular ganglion
P2X receptor; P2X purinoceptor; ATP; Spiral ganglion; Cochlea; Vestibulocochlear nerve (Xiang, Z. (128) 190)

Vestibulocochlear nerve
P2X receptor; P2X purinoceptor; ATP; Spiral ganglion; Cochlea; Vestibular ganglion (Xiang, Z. (128) 190)